



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

to water-trough as tame as London sparrows. The first Merganser (*Mergus serrator*) we had seen this year rose near the shore as we rowed in from the ship. Except these and a stray Herring-Gull the place was a desert to-day as far as bird-life was concerned. We could hardly expect it to be otherwise when the whole country, except the Shore-Larks' patch, was buried under two or three feet of snow! And this on the 2nd of June."

The first three chapters (pp. 1-169) contain the narrative of the three expeditions; the fourth (pp. 170-192) gives a history of Saint Triphon's Monastery, founded about 1532; Appendix I (pp. 192-201) is a tabular list of 182 species of birds observed by the author and others, the table giving twelve different stations. A second appendix (pp. 202-209) relates to food and equipment, giving not only lists of foods, clothing, implements, etc., required, but much practical advice as to outfit and camp arrangements. Of the 68 excellent half-tone plates, about one third are ornithological, the rest being views of the country and its Lapp inhabitants and their mode of life.—J. A. A.

Jacobs's 'The Haunts of the Golden-winged Warbler.'—In this small brochure¹ Mr. Jacobs gives the results of his studies of the Golden-winged Warbler (*Helminthophila chrysoptera*), which he has found to be a common breeding bird at Wainsburg, Pa., where he has made it the subject of special observation for the last dozen years or more. He describes in detail and illustrates its favorite haunts, and its nest and eggs. Its nesting habits and eggs are very fully described; in nineteen nests the number of eggs ranged from three to six, the prevailing number being four. The period of incubation appears to be about ten days, and in ten days more the young are able to leave the nest.—J. A. A.

Scott on the Rearing of Wild Finches by Foster-parents of other Species.²—Experiments were made by placing the eggs of Song Sparrows (*Melospiza melodia*), Field Sparrows (*Spizella pusilla*), Yellow-winged Sparrows (*Coturniculus savannarum passerinus*), Cowbirds (*Molothrus ater*), and Bobolinks (*Dolichonyx oryzivorus*) under canaries, by which they were hatched and the young carefully nursed. In the case of the young Song Sparrows, though solicitously attended by the hen canary,

¹ Gleanings No. III. The Haunts of the Golden-winged Warbler. (*Helminthophila chrysoptera.*) With Notes on Migration, Nest-building, Song, Food, Young, Eggs, etc. Illustrated: By J. Warren Jacobs, Waynesburg, Pa., Independent Printing Company. 1904. 8vo. pp. 30, 5 half-tone plates and a color chart.

² An Account of Some Experiments in Rearing Wild Finches by Foster-parent Birds. By W. E. D. Scott, Science, N. S., Vol. XIX, No. 483, pp. 551-554, April 1, 1904.